

## Technical Data

### Small Particle Size Superabsorbents

#### Characteristics

- Powder or Talc like
- Fast acting
- Seawater absorption

#### Uses

- Laminates / Composites
- Wire and Cable
- Spill Control
- Filtration media
- Foams
- Cement curing

**LiquiBlock™ 40F** may also be used in **Agricultural and Filtration / Waste Remediation Applications.**

Emerging Technologies inc.  
402 Edwardia Drive  
Greensboro, NC 27409

(T): (336) 851-9097  
(F): (336) 851-2153  
[www.thesuperabsorbentsource.com](http://www.thesuperabsorbentsource.com)



# LiquiBlock™ 40F

## Typical Characteristics

Particle Size Distribution (microns)	1 – 200
Absorption (g/g) deionized water	> 200
Apparent Bulk Density (g/l)	540
Moisture Content (%)	5
pH Value	5.5 – 6.0

Chemistry:	Potassium salt of crosslinked polyacrylic acid/polyacrylamide copolymer
Physical Form:	White granules, free flowing
Storage Life:	> 1 year, dry conditions, unopened bags/containers
Packaging:	55 pound multi-wall bags

**WARRANTY:** The information given here is considered to be correct and is offered for your consideration, investigation and verification. No warranties are expressed or implied since the use of this product is beyond our control.